


Web Images Video Maps News Shopping Gmail more ▼

[Sign in](#)



identity claim with principle objects, associate, creating phantom objects and uni

Search

[Advanced Search](#)

[Preferences](#)

Web [Show options...](#) Results 1 - 10 of about 24,200 for identity claim with principle objects, associate, creating phantom objects and uniquely identifying and string. (0.33 seconds)

### 1. [doc] [Auditory Objects](#)

File Format: Microsoft Word - [View as HTML](#)

A melody is an auditory **object** that maintains its **identity** in spite of ... I am thus **identifying objects** by the activity of the auditory system – in effect, ... Thus, I intend no **claim** about what auditory **objects** there really are, ... Moreover, some of the **principles** of auditory figure-ground segregation work ...

[web.mac.com/mohanmatthen/Site/.../Auditory%20Objects.doc](#) - [Similar](#)

### 2. [Java 2 Platform SE v1.3.1: Uses of Class java.lang.Object](#)

Creates a new **phantom** reference that refers to the given **object** and is ... Uses the constructor represented by this Constructor **object** to **create** and ..... The Attributes class maps Manifest attribute names to **associated string** values. .... Constructs a path from an array of **Objects**, **uniquely identifying** the path ...

[java.sun.com/j2se/1.3/docs/api/java/lang/class-use/Object.html](#) - [Similar](#)

### 3. [Objects and methods for accessing a data source and enhancing an ...](#)

Jul 4, 2006 ... An **object** according to **claim** 1 wherein said interface is a graphical user interface. .... An interface component for **identifying** the first data record to be .... data strictly based on its position in a specific **string**. .... Each data item would then have a **unique** bookmark **associated** with it to ...

[www.freepatentsonline.com/7073133.html](#) - [Similar](#)

by W Hughes - 2001

### 4. [Establishing logical paths through a switch between channels and ...](#)

storing the **identity** of an established logical path when said requested logical ... The logical path mechanism of **claim** 4 further comprising frame generator .... Therefore, it is an **object** of the present invention to provide a logical path .... all link addresses **associated** with a dynamic switch must be **unique**. ...

[www.freepatentsonline.com/5420968.html](#) - [Similar](#)

by JC Elliott - 1995 - [Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

[More results from www.freepatentsonline.com »](#)

5. [\[PDF\] Object-Relational Mapping as a Persistence Mechanism for Object ...](#)

File Format: PDF/Adobe Acrobat

Apr 28, 2007 ... **object**-oriented and some of which many might **claim** are not. ....

preserves **object identity** in the cache by comparing the primary keys of .... Each

persistence broker is **uniquely associated** to one provider, which im- ..... **string**

**identifying** the table in the database—as in new Query("Person"). ...

[digitalcommons.macalester.edu/context/mathcs.../viewcontent/](#) - [Similar](#)

by JM Barnes - 2007 - [Related articles](#) - [All 2 versions](#)

6. [Colm Torris's Blog](#)

This work allows him to practice the best **principles** of Microsoft ..... **Identifying**

attribute types; System and Search Flags; Linked Attributes; Operational Attributes;

**Phantom** and Proxy **Objects**; Directory Partitions; **Object** Re-animation. ... TechNet

Webcast: **Identity** and Access Management (Part 1 of 2): Technical ...

[blogs.technet.com/colmt/](#) - [Cached](#) - [Similar](#)

7. [Orthogonally persistent \*\*object\*\* systems](#)

The **principle** of correspondence states that the rules governing the use ... mechanism

for **identifying** persistent **objects** is not related to the type system .... Where

reachability is not used, languages often **associate** persistence with type .... identities

of the **objects** are **unique**, and comparison of **identity** yields ...

[www.springerlink.com/index/U03J842288293447.pdf](#) - [Similar](#)

by M Atkinson - 1995 - [Cited by 260](#) - [Related articles](#) - [All 22 versions](#)

8. [IBM Globalization - Terminology - terms O and P](#)

The contents and format of the **string** are not defined by the mail server

framework. .... loop but is logically included through the use of a **phantom**

address. .... (2) An **object** that **uniquely** identifies an entity bean of a particular

type. .... A **principal** is identified by its **associated** security context, ...

[www-01.ibm.com/software/globalization/terminology/op.jsp](#) - [Cached](#) - [Similar](#)

9. [Yhc/Erlang/Proof of concept - HaskellWiki](#)

May 19, 2008 ... Non-function Haskell **objects** are represented using Erlang tuples,

tagged with the ... Thus, the General calling convention is built on the following

**principles**: An opaque **phantom** type ErlObj is used to encode all possible Erlang

types. ... Here, hsList and **identity** are Erlang functions imported as ...

[www.haskell.org/haskellwiki/Yhc/Erlang/Proof\\_of\\_concept](#) - [Cached](#) - [Similar](#)


10. [Untitled](#)

**identity** in the contemporary era. Nationalism in Tsui's films thus serves to fill the

empty place of the ... are ubiquitous. Critics often **claim** that they are stunned by the ....

Capitalizing on the easy **association** of filmic images with ..... "reproducible **phantom**" **objects** without real referents or origins, ...  
cameraobscura.dukejournals.org/cgi/reprint/21/3\_63/37.pdf - Similar  
by KC Lo

Tip: These results include the word "unique". [Show results that include only "uniquely"](#).



identity claim with principle objects, associate, creating phantom objects and uni

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)